

## VF-101P



### specifications

<b>Screen</b>	<b>Screen Size</b> <b>Stereoscopic Type</b> <b>Aspect Ratio</b> <b>Panel Type</b> <b>Stereo Formats</b> <b>Mirror Processing</b>	10.2 inch [222.72(H) * 130.5(V) mm] Passive Circular Glasses 16:9 TN TFT color LCD Sidefield, Frame Sequential, Top and Bottom Horizontal, Vertical Hardware based real time
<b>Features</b>	<b>Brightness</b> <b>Resolution</b>  <b>Display Color</b> <b>Pixel Pitch</b> <b>Signal Support</b>  <b>OSD Features</b>	600 cd/m2 2D : 1024 * 600 3D : 1024 * 300 (Left Image - Odd Number Field) 1024 * 300 (Right Image - Even Number Field) 262K (6 BIT) 0.2175 mm 1080 ( 23.98P, 24P, 29.97P, 25P, 30p, 59.94i, 50i, 60i ) 720 ( 59.94P, 50P ) 3D Mode : (Grid move and distance control, 4 corner zoom, center zoom in 3D, Reverse) LR(Sidefield), FR(Frame Sequential), UD(Top and Bottom) 1080i, Power (ON/OFF),720P (Auto detect LED Indicator) 2D Mode : Left, L(H-M) , L(V-M) , Right, R(H-M) , R(V-M)
<b>Video Ports</b>	<b>Input(Left/Right)</b> <b>Output(Stereo)</b> <b>Connector</b>	HD-SDI * 2 (Left Camera , Right Camera) HD-SDI * 2 (Left Camera Loop through), HD-SDI * 2 (Right Camera Loop through) BNC female
<b>Size and Weight</b>	<b>Size</b> <b>Weight</b>	250 * 194 * 40 mm(W*D*H)/ including stand add 20mm 2.1 kg (includes mounting, Net Weight.)
<b>Material/Color</b> <b>Power</b> <b>Options</b>	<b>Material(Exterior)/Color</b> <b>Power</b> <b>Accessories and options</b>	Aluminum/ Black (Colors are subject to change without notice.) DC 12V 3A (MAX) / 2P DIN Power Cable, Adaptor, 3D Glasses, manual, ARM, Durable Travel CaseZZZ